5

10

15

20

25

## **WE CLAIM:**

1. •	Α.	P. 🥻	aemolytica	bacterium	which
------	----	------	------------	-----------	-------

- a) expresses no biologically active leukotoxin,
- b) expresses a form of leukotoxin molecule which induces antibodies which specifically bind to leukotoxin; and
- c) contains no foreign DNA.
- 2. The P. haemolytica bacterium of claim 1 wherein the form of leukotoxin molecule expressed is a deletion mutant.
- 3. The *P. haemolytica* bacterium of claim 2 wherein the deletion mutant is about 66 kD.
- 4. The *P. haemolytica* bacterium of claim 2 wherein the deletion mutant lacks amino acids 34 to 378.
  - 5. The P. haemolytica bacterium of claim 1 wherein the bacterium is  $lkt C^+$ .
- 6. The *P. haemolytica* bacterium of claim 1 wherein the leukotoxin operon comprises no antibiotic resistance genes.
- 7. The *P. haemolytica* bacterium of claim 1 which comprises a mutation in the structural gene *lktA* which encodes lenkqtoxin.
- 8. The *P. haemolytica* bacterium of claim wherein the bacterium comprises a mutation which is non-reverting, said mutation resulting in the inability of the bacterium to express biologically active leukotoxin.
- 9. A method of inducing immunity to pneumonic pasteurellosis in ruminants, comprising the step of:

administering the bacterium of claim 1 to a ruminant whereby immunity is induced.

- 10. The method of claim 9 wherein the step of administering is via the oral route.
  - 11. The method of claim 10 wherein the bacterium is top-dressed on the feed of the ruminant.
- 12. The method of claim 9 wherein the step of administering comprises injecting the bacterium subcutaneously.

5

10

15

20

25

30

- 13. The method of claim 9 wherein the step of administering comprises injecting the bacterium intradermally.
- 14. The method of claim 9 wherein the step of administering comprises injecting the bacterium intramuscularly.
  - 15. The method of claim 9 wherein the step of administering is via the nose.
  - 16. A feed for ruminants which comprises the bacterium of claim 1.
  - 17. A vaccine for reducing morbidity in ruminants, comprising:
  - a P. haemolytica bacterium which:
    - a) expresses no biologically active leukotoxin,
    - b) expresses a form of leukotoxin molecule which induces antibodies which specifically bind to leukotoxin; and
    - c) contains no foreign DNA.
- 18. A temperature sensitive plasmid which replicates at 30 °C but not at 40 °C in *P. haemolytica* and which has an origin of replication of the same incompatibility group as the plasmid which has been deposited at the ATCC with Accession No. -
- 19. The temperature sensitive plasmid of claim 16 which is the plasmid which has been deposited at the ATCC with Accession No. \_\_\_\_\_.
- 20. A P. haemolytica leukotoxin molecule which:
  - a) is biologically inactive;
  - b) induces antibodies which specifically bind to leukotoxin; and
  - c) contains no foreign amino acid sequences.
- 21. The *P. haemolytica* leukotoxin protein of claim 20 wherein the form of leukotoxin molecule expressed is the result of a deletion mutation.
- 22. The P. haemolytica leukotoxin protein of claim 21 wherein the protein is about 66 kD.
  - 23. The *P. haemolytica* leukotoxin protein of claim 21 wherein the protein lacks amino acids 34 to 378.
  - 24. The *P. haemolytica* leukotoxin protein of claim 20 wherein the leukotoxin protein is acylated.
    - 25. The P. haemolytica leukotoxin protein of claim 20 wherein the leukotoxin

5

10

15

20

protein comprises no antibiotic resistance enzymes.

26. A method of inducing immunity to pneumonic pasteurellosis in ruminants, comprising the step of:

administering the leukotoxin protein of claim 20 to a ruminant whereby immunity is induced.

- 27. The method of claim 26 wherein the step of administering is via the oral route.
- 28. The method of claim 26 wherein the leukotoxin protein is top-dressed on the feed of the ruminant.
- 29. The method of claim 26 wherein the step of administering comprises injecting the leukotoxin protein subcutaneously.
- 30. The method of claim 26 wherein the step of administering comprises injecting the leukotoxin protein intradermally.
- 31. The method of claim 26 wherein the step of administering comprises injecting the leukotoxin protein intramuscularly.
  - 32. The method of claim 26 wherein the step of administering is via the nose.
  - 33. A feed for ruminants which comprises the leukotoxin protein of claim 20.
  - 34. A vaccine for reducing morbidity in ruminants, comprising:
  - a P. haemolytica leukotoxin protein which:
    - a) is biologically inactive;
    - b) induces antibodies which specifically bind to leukotoxin; and
    - c) contains no foreign amino acid sequences.